

Structural Analysis of Various Cross Section Steel Columns for Axial Compressive Eccentric Loading

Puja Londhe¹ and Nagesh L. Shelke²

¹ P. G. Student, Department of Civil Engineering, Dr D Y Patil School of Engineering & Technology, Pune, India.
puja1423@gmail.com

² Asst. Professor, Department of Civil Engineering, Dr D Y Patil School of Engineering & Technology, Pune, India.
nlshelke@rediffmail.com

ABSTRACT

Structural stability is an important factor in structural design. A column is a one of the basic element of a structure. The column may fail due to various factors, lateral torsional buckling is also one of them. This paper deals with the elastic lateral-torsional buckling behavior of regular I section steel column under axial compression with eccentric loading conditions. Different cross section steel columns are considered (i.e hollow square, hollow rectangular, hollow circular, C shape) to compare with regular hollow circular cross section column for lateral torsional buckling behavior.

A finite element (FE) program using beam elements is developed to study LTB behaviors. The thickness and length is constant for all models (i.e thickness = 10 mm and 12 mm and Length = 2 mtr and 3 mtr). Structural analysis is done to examine the influence of the section dimension due to axial eccentric compressive loading. Using the study it is observed that not only the cross section of steel column, but also the taper ratio influences the resistance to lateral torsional buckling of steel column.

Keywords: Lateral torsional buckling, steel column, cross section, taper ratio, axial compression, eccentric loading.

1. INTRODUCTION

Steel is an important member in structure and contains 2.1% carbon of its weight. Steel has great strength and stability also has good ductile property, available easily, cheaply and can be manufactured easily. Steel also can be recycled easily and structured in any shape again [1].

Steel structure can buckle under axial compressive load and can be described as bending of a structure. Column is a structural member which is slender in nature who supports the axial eccentric compressive load. If load is increases or may be eccentric in nature, due to instability, column starts to buckle. Buckling or lateral torsional buckling is an important factor in designing the steel structure [5].

Structures can be unstable due to various factors; one of them is sometimes structural member's reaches to their yield strength. Structure may collapse due to maximum deflection or fracture of member [4]. There is no specific study is done yet on different cross section and taper ratio of steel column with thickness variation. In now a day's tapered structural members are commonly used for stability purpose, they look good astatically too [2].

2. METHODOLOGY

After reviewing the various literatures and papers in order to understand the mechanism behind bending & lateral-torsional

buckling and failure analysis of regular column subjected to eccentric loading, herewith provide some steps to analyze the column for different cross section and taper ratio with variation in thickness. The analysis is done with the help of CAE software.

- Analysis of regular I section steel column.
- Analysis of standard shaped hollow column i.e square, & circular column
- Analysis of channel shaped column i.e C shap, I shape channel.
- Finalize the best possible solution for the concern problem.

Parameter selection

1. Shape
 - a. Standard shape: Square, circular & rectangular
 - b. Channel: C shape, I shape
2. Thickness: 10mm, 12mm,
3. Length: 2mtr, 3mtr

3. FINITE ELEMENT ANALYSIS

This section explains the assumptions on finite element (FE) modeling and evaluates the methodology selected for validation of simulation in the software modeling.

A. Assumptions of Modeling

CATIA is used to create the models and are defined in terms of geometric features that must be subdivided into finite elements for solution. This process of sub division is called meshing. Mesh datasets contain information about element types, element discretisation and mesh type. The I-beam models were assigned ungraded mild steel for its material property with Young’s modulus, $E= 2.1 \times 10^5 \text{ N/mm}^2$, shear modulus, $G = 79 \times 10^3 \text{ N/mm}^2$ and Poisson ratio of 0.3. The convergence of the mesh was established by independently increasing the mesh density in each part of the model beam section.

B. Eigen value Buckling Analysis

The main objective of an Eigen value analysis is to obtain the values of lateral torsional buckling resistance, bending capacity. In this study, all models were assumed to buckle under perfect conditions, where there is no initial imperfectness and eccentric load. Loading conditions are also same for all models, two types of loads are considered. The assumptions used in linear buckling analysis are that the linear stiffness matrix does not change prior to buckling and that the stress stiffness matrix is simply a multiple of its initial value.




Fig 1: Analysis I section column for buckling




Fig2: Analysis square section column for buckling




Fig 3: Analysis square section column for buckling

4. RESULTS & DISCUSSION

The effect of some geometric parameters on the performance of steel column loaded with eccentric axial compressive load, such as effect of thickness, cross section of column and taper ratio were investigated. In the following table, the results of these parameters are presented in detail.

Table 1: FEA results of different shape column

Sections	Column Thickness	Web Thickness	Bending in X Axis
Circular Section	10	-----	40.28
Circular Section	12	-----	37.64

I Section	10	3	25.33
I Section	12	3	24.11
Square Section	10	-----	23.71
Square Section	12	-----	21.26
C Section	10	-----	63.65
C Section	12	-----	60.89




Fig 6: Effect of column thickness on buckling of square section column

D. Graph related to FEA results




Fig 4: Effect of column thickness on buckling of I section column




Fig 7: Effect of column section on buckling (for column thickness 10 mm)




Fig 5: Effect of column thickness on buckling of square section column




Fig 8: Effect of column section on buckling (for column thickness 12 mm)

5.CONCLUSION

A finite element analysis is done on the behavior of different steel column section and compared the same with regular steel section when applied an eccentric axial compressive load, and the following points are concluded:

- Square beam gives better resistance to buckling.
- Increasing thickness of column gives increasing resistance to buckling.

- Taper columns gives better results against buckling for certain ratio only.

REFERENCES

- [1] Mehmet Avcar, 2014, “Elastic buckling of steel columns under axial compression” American Journal of Civil Engineering 2014; 2(3): 102-108
- [2] Liliana Raquel Simões Marques, 2012, “TAPERED STEEL MEMBERS:FLEXURAL AND LATERAL-TORSIONAL BUCKLING”, department of civil engineering, university of Columbia.
- [3] Mohammad I. Hossain, Tahsin R. Hossain, 2014, Column slenderness computation and evaluation using finite element method and commercial software”, INTERNATIONAL JOURNAL OF CIVIL AND STRUCTURAL ENGINEERING Volume 5, No 1, 2014, ISSN 0976 – 4399
- [4] J. D. Aristizabal-Ochoa, 2013, “Stability of slender columns on an elastic foundation with generalised end conditions”, *INGENIERÍA E INVESTIGACIÓN VOL. 33 No. 3, DECEMBER - 2013 (34-40)*
- [5] Domenico Raffaele, Giuseppina Uva, Francesco Porco and Andrea Fiore, 2013, “Buckling of Rectangular Isolated R.C. Columns: Closed-form Approximation for Interaction Domains” *The Open Construction and Building Technology Journal*, 2013, 7, 129-137
- [6] N.S. Trahair, 2014, “Flexural-Torsional Buckling of Columns with Oblique Eccentric Restraints”, Department of Civil Engineering, Centre for Advanced Structural Engineering, Sydney NSW 2006, AUSTRALIA
- [7] J Y Richard, 1994, “RC slender column under biaxial eccentric loads”, journal of engineering, National chung hsing university, No – 5, P.P 1-12 (1994).
- [8] C. Crosti, 2009, “Structural Analysis of Steel Structures under Fire Loading”, Acta Polytechnica Vol. 49 No. 1/2009
- [9] Arlene M. S. Freitas, 2013, “ Theoretical and experimental analysis of perforated rack columns”, *REM: R. Esc. Minas, Ouro Preto, 66(3), 289-294, jul. set. / 2013*
- [10] L. H. DONNELL, 2014, “A New Theory for the Buckling of Thin Cylinders Under Axial Compression and Bending, international journal of civil and structural engineering Volume 5, No 2, 2014, ISSN 0991 – 4522, AER-56-12